



4456 S Clifton Avenue
Wichita, KS 67216
800 676-7346

EFF-STOP

Efflorescence Remover

PRODUCT DESCRIPTION & USE

Advantages

EFF-Stop Efflorescence Remover is a soap solution that counteracts efflorescence. The product is mildly acidic and safe for virtually all surfaces. When EFF-Stop stops foaming the efflorescence is gone. Apply Professional® Water Sealant to prevent the return of efflorescence.

- Removes efflorescence
- Safe on glass
- Do not have to use pressure washer

Cautions

May be corrosive to certain woods, metals, and plants.

TECHNICAL DATA

Appearance & Odor:	Amber color, mild biting odor
Physical State:	Liquid
pH:	2.0
Vapor Pressure (mmHg):	As water
Vapor Density (air=1):	As water
Boiling Point:	210° F
Freezing/Melting Point:	N/A
Specific Gravity (water=1):	1.08
Evaporation Rate:	As water
Solubility in water:	Complete

INSTALLATION

Preparatory Work

Protect adjacent and surrounding building hardware not intended to be cleaned.

Surface & Air Temperatures

Excessively low temperatures will produce poor results and possible harm. Best cleaning results are obtained when air and surface temperatures are 40° Fahrenheit or above. Do not clean when temperatures are below freezing or will be overnight. If freezing conditions exist, allow adequate time for surface to thaw.

Test Area

Always test prior to beginning full-scale cleaning operations. Testing should confirm cleaning effectiveness on each type of surface and stain designated to be cleaned. Test also to determine the desired surface contact time and any potential for adverse reactions with adjacent materials. Allow test panels to dry thoroughly before evaluating final appearance and results.

<i>Application</i>	Spray EFF-Stop undiluted, repeat as needed. When product does not foam on contact the efflorescence will be gone. Rinse surface thoroughly with water to remove any chemical residue. Allow to thoroughly dry before applying Professional® Water Sealant.
<i>Precautions</i>	Always wear goggles and rubber gloves when handling this product. Keep off of skin and clothing. If material comes in contact with clothing, wash before reuse. Do not dilute EFF-Stop with any product. Do not use for any other application other than specified. Do not remove label. Read MSDS for additional safety and health hazard information prior to use. Avoid breathing fumes. Keep container closed when not in use. Use with adequate ventilation. MIOSH/MSHA approved respirator for use with acids if adequate ventilation is unavailable. Though the potential for fuming of EFF-Stop is minimal, take precautions to avoid exposing building occupants to fumes. Dispose of empty containers according to federal, state, and local requirements. Avoid drifting of material or rinse water onto autos and pedestrians by protecting or diverting such traffic.
Estimated Coverage Rates	Coverage rates will vary from 50-125 sq. ft/gal depending on the surface porosity, texture and severity of staining.

FIRST AID	
<i>Inhalation</i>	Remove to fresh air. Call physician and seek medical attention if irritation develops.
<i>Skin</i>	Wash off with soap and water. Follow with a good skin emollient. If irritation persists, call physician.
<i>Eyes</i>	Flood with water for fifteen minutes. Seek immediate medical attention.
<i>Ingestion</i>	Drink large amounts of water. Call physician. Seek immediate attention.
Spill or Leak Procedures	Check with the state, local, or federal regulations for waste disposal methods in the area. Wear proper protective equipment while doing cleanup. For large spills, dike and contain. For small spills, use a chemical absorbent product and place in approved container for disposal.
Container Handling and Storage	Store the product in a cool, dry place away from alkali/base. Do not allow this product to freeze. Vent bung cap before opening. Keep container tightly closed when not in use. Wash thoroughly after handling. Empty containers retain residue and vapors and must be handled as if full. Completely rinse drum prior to disposal.

TECHNICAL SERVICES	Technical service and samples are available. For additional information visit: www.waterselant.com or call 800-676-7346.
---------------------------	---